You may have questions about SKYRIZI. That's why Skyrizi Complete is here to help:

- Make sense of your insurance coverage
- Provide support to help you prepare for your appointments
- Identify ways you may be able to save on SKYRIZI
- Provide supplemental self-injection training, if needed

Your Skyrizi Complete Nurse Ambassador* is committed to helping you understand your treatment, answering your questions, and supporting you to achieve your personal goals while on SKYRIZI. Your Ambassador will be there every step of the way, for as long as you need.

You've signed up for Skyrizi Complete. Here's what to do next:

1

Before you leave the office, ask your health care professional which Specialty Pharmacy your prescription is being sent to and write down its number below. This pharmacy will help you plan your SKYRIZI delivery and may follow up with you.

SPECIALTY PHARMACY:	PHONE:	

2

Expect a call from your Ambassador within 1 business day (the call may come from any area code). They'll help you navigate the prescription process and help you start and stay on track with your prescribed treatment plan.

For questions, or if you have not yet connected with your Nurse Ambassador, please call **1.866.SKYRIZI** (1.866.759.7494).

Skyrizi°complete

*Nurse Ambassadors are provided by AbbVie and do not work under the direction of your health care professional (HCP) or give medical advice. They are trained to direct patients to their HCP for treatment-related advice, including further referrals.



Uses and Important Safety Information About SKYRIZI® (risankizumab-rzaa)¹

SKYRIZI Uses¹

SKYRIZI® (risankizumab-rzaa) is a prescription medicine used to treat adults:

- with moderate to severe plaque psoriasis who may benefit from taking injections or pills (systemic therapy) or treatment using ultraviolet or UV light (phototherapy).
- with active psoriatic arthritis (PsA).

Important Safety Information¹

What is the most important information I should know about SKYRIZI® (risankizumab-rzaa)?

SKYRIZI is a prescription medicine that may cause serious side effects, including:

Serious allergic reactions:

Stop using SKYRIZI and get emergency medical help right away if you get any of the following symptoms of a serious allergic reaction:

 fainting, dizziness, feeling lightheaded (low blood pressure)

swelling of your face, eyelids, lips, mouth, tongue, or throat

trouble breathing or throat tightness

chest tightnessskin rash, hives

itching

Infections:

SKYRIZI may lower the ability of your immune system to fight infections and may increase your risk of infections. Your health-care provider should check you for infections and tuberculosis (TB) before starting treatment with SKYRIZI and may treat you for TB before you begin treatment with SKYRIZI if you have a history of TB or have active TB. Your healthcare provider should watch you closely for signs and symptoms of TB during and after treatment with SKYRIZI.

- Tell your healthcare provider right away if you have an infection or have symptoms of an infection, including:
 - fever, sweats, or chills
 - cough
 - shortness of breath
 - blood in your mucus (phlegm)
 - muscle aches

- warm, red, or painful skin or sores
 - on your body different from your psoriasis
- weight loss
- diarrhea or stomach pain
- burning when you urinate or urinating more often than normal

Do not use SKYRIZI if you are allergic to risankizumab-rzaa or any of the ingredients in SKYRIZI. See the Medication Guide or Consumer Brief Summary for a complete list of ingredients.

Before using SKYRIZI, tell your healthcare provider about all of your medical conditions, including if you:

- have any of the conditions or symptoms listed in the section "What is the most important information I should know about SKYRIZI?"
- have an infection that does not go away or that keeps coming back.
- have TB or have been in close contact with someone with TB.
- have recently received or are scheduled to receive an immunization (vaccine). Medications that interact with the immune system
 may increase your risk of getting an infection after receiving live vaccines. You should avoid receiving live vaccines right before,
 during, or right after treatment with SKYRIZI. Tell your healthcare provider that you are taking SKYRIZI before receiving a vaccine.
- are pregnant or plan to become pregnant. It is not known if SKYRIZI can harm your unborn baby.
- are breastfeeding or plan to breastfeed. It is not known if SKYRIZI passes into your breast milk.
- become pregnant while taking SKYRIZI. You are encouraged to enroll in the Pregnancy Registry, which is used to collect
 information about the health of you and your baby. Talk to your healthcare provider or call 1-877-302-2161 to enroll in this registry.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

What are the possible side effects of SKYRIZI?

SKYRIZI may cause serious side effects. See "What is the most important information I should know about SKYRIZI?"

The most common side effects of SKYRIZI in people treated for plaque psoriasis and psoriatic arthritis include: upper respiratory infections, headache, feeling tired, injection site reactions, and fungal skin infections.

These are not all the possible side effects of SKYRIZI. Call your doctor for medical advice about side effects.

Use SKYRIZI exactly as your healthcare provider tells you to use it.

SKYRIZI is available in a 150 mg/mL prefilled syringe and pen.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

If you are having difficulty paying for your medicine, AbbVie may be able to help. Visit AbbVie.com/myAbbVieAssist to learn more.

Reference: 1. SKYRIZI [package insert]. North Chicago, IL: AbbVie Inc.

Please see full <u>Prescribing Information</u>, including <u>Medication Guide</u>, or visit https://www.rxabbvie.com/pdf/skyrizi_pi.pdf.





FAXING INSTRUCTIONS:

Fax to Skyrizi Complete (1.678.727.0690)



Enrollment and Prescription Form

SPSA-080123-A08

The health care professional (HCP) and the patient or legally authorized person should fill out this form completely before leaving the office. Sections in **BLUE** (1, 2, 3, 4) are necessary for enrollment into Skyrizi Complete. Required fields are marked with an asterisk (*).

1 PATIENT DEMOGRAPHIC SHEET* To be faxed by HCP with the Enrollment and Prescription Form.

2 PATIENT'S INFORMATION - To be completed by patient or legally authorized person. Please print clearly.

When faxing this form, please include the patient demographic sheet, ensuring the following patient information is included: full home address, email address, medical and prescription insurance information, and any relevant clinical details (such as prior therapies). Additionally, ensure the patient's entire Social Security number is redacted from the demographic sheet (if applicable). Failure to include the demographic sheet may result in delayed enrollment.

First Name:*	Last Name:*	[Date of Birth:	/ /	Gender:	M	F			
Mobile Phone:	Email Address:*		Spanish interpre	ter neede	ed					
When did you start on treatment?*	Not Yet Started 0-3	3 Months Ago	4-6 Months Ag	o 7-	12 Months Ago	Over	12 Months A	ıgo		
I consent to receive automated and recomarketing messages to the provided more that HELP to 29279 for help, or call	obile number. Message ar	nd data rates may	apply. I am not i	required	to consent as a c	ondition (of receiving		ces. I	
By enrolling, you may receive your own Nu medical advice. They are trained to direct p						your heal	th care profe	ssional (HCP) o	or give	
I consent to the collection, use, and disc clinical trials, research opportunities and <u>Data</u> ," and " <u>Cookies and similar trackin</u> under certain privacy laws, and I have t	closure of my health-relate d for online targeted adver tg and data collection tech	ed personal data rtising, as further <u>nnologies</u> " sectio	to receive comm described in the ' ns of our <u>Privacy</u>	unication ' <u>How we</u> <u>Notice.</u> N	s from AbbVie re may use Person My consent is req	al Data," uired to p	"How we ma	y disclose Pers	sonal	
For information on how we collect and proc visit https://abbv.ie/PrivacyPatient	ess your personal data, inc	cluding the catego	ries we collect, pu	urposes f	or their collection	, and disc	losures to thi	rd parties,		
Through my submission of the enrollment f AbbVie's Privacy Notice in the "How we ma the right to withdraw my consent by visiting	y disclose Personal Data"	section. My conse	nt is required to p							
	▼ FOR F	IEALTH CARE PRO	OVIDER USE ONL	Y ▼						
3 DIAGNOSIS* Plaque Psoriasis (Ps)	Psoriatic Arthritis (Ps	A)								
4 PRESCRIBER INFORMATION										
Prescriber's Last Name*:	St	reet Address*:				State	÷:	ZIP*:		
Prescriber's Phone*:	Of	fice Fax #*:				NPI#	*:			
I would like to receive a copy: Benefit	s Verification Summary	Prior Authoriz	ation Form							
	pplemental injection train on pharmacy prescription IAL - Fill out and sign cor	below.		ieu, ioi ti	ns patient. Orde	vanu ioi	up to one y	ear.		
Patient's preferred Specialty Pharmacy: _			C	heck if fa	exed to Specialty	Pharmac	У			
Plaque Psoriasis (Ps) Psoriatic Arth	ritis (PsA)	PRESCRIBER (•	v and that the		
Choose one SKYRIZI presentation: SKYRIZI PEN 150 mg SKYRIZI SYRINGE 150 mg Check appropriate boxes to indicate quan (one dose each) and directions:	ntity to dispense	PRESCRIBER CERTIFICATION: I certify that the above therapy is m information provided is accurate to the best of my knowledge. I certify prescribed SKYRIZI to the previously identified patient and that I provio of the Skyrizi Complete patient support program. I authorize Skyrizi Compurposes of transmitting this prescription to the appropriate pharmacy their benefit plan (if applicable).					that I am the prescriber who has ded the patient with a description mplete to act on my behalf for the			
Initiation at Week 0: Inject 150 mg SC Initiation at Week 4: Inject 150 mg SC										
Inject 150 mg SC every 12 weeks therea	after	Prescriber's	Signature: (RE	QUIRED)	X		Date:			
7 SKYRIZI SHIPPING PREFERENCES Da	eto poeded:	First Dose Add	ress: Prescribe	r Pati	ent Follow-U p	Dosos A	Idrocc: Di	escriber Pa	atient	
8 SKYRIZI COMPLETE PRESCRIPTION						Doses A	iuless.	escriber 1 a	itient	
Eligible patients must have (1) commercia and Conditions on the following page. Ple pharmacy. I understand that faxing this founder this section. Choose one SKYRIZI presentation: SKYRIZI PEN 150 mg SKYRIZI SYRINGE 150 mg Inject 150 mg SC at Week 0, Week 4, and every 12 weeks thereafter	l insurance, (2) a valid Rx ase complete the full form	for SKYRIZI, and as well as this so will result in an or carlon: I certify the ge. I certify that I am a description of the sitting this prescription is who are experience identified patient	(3) experienced a ection and sign b iginal copy being that the above therapy the prescriber who keyrizi Complete paon to the appropriariencing an insurancin seeking to secure	delay or elow. Pre simultar by is medic has preso tient supp te pharma ce access of e such cov	r denial in insural scription to be fineously transmitt cally necessary and cribed SKYRIZI to the tort program. I auth icy. I understand the challenge for SKYR erage as I deem ap	that the in the previous orize Skyri at the no cl IZI until co- propriate.	agh an AbbV AbbVie-auth formation pro ty identified p zi Complete to narge resource verage is obta certify that I v	ie-authorized norized pharma vided is accurate atient and that I act on my behal e through Skyrizi ined, and I confir vill not seek	acy e ilf i	
Quantity: 1 dose of 150 mg Refills:	Prescriber's Signature: (REQUIRED)									



Indications and Important Safety Information¹

SKYRIZI Indications¹

Plaque Psoriasis: SKYRIZI is indicated for the treatment of moderate to severe plaque psoriasis in adults who are candidates for systemic therapy or phototherapy.

Psoriatic Arthritis: SKYRIZI is indicated for the treatment of active psoriatic arthritis in adults.

Important Safety Information¹

Hypersensitivity Reactions

SKYRIZI® (risankizumab-rzaa) is contraindicated in patients with a history of serious hypersensitivity reaction to risankizumab-rzaa or any of the excipients. Serious hypersensitivity reactions, including anaphylaxis, have been reported with the use of SKYRIZI. If a serious hypersensitivity reaction occurs, discontinue SKYRIZI and initiate appropriate therapy immediately.

Infection

SKYRIZI may increase the risk of infection. Do not initiate treatment with SKYRIZI in patients with a clinically important active infection until it resolves or is adequately treated.

In patients with a chronic infection or a history of recurrent infection, consider the risks and benefits prior to prescribing SKYRIZI. Instruct patients to seek medical advice if signs or symptoms of clinically important infection occur. If a patient develops such an infection or is not responding to standard therapy, closely monitor and discontinue SKYRIZI until the infection resolves.

Tuberculosis (TB)

Prior to initiating treatment with SKYRIZI, evaluate for TB infection and consider treatment in patients with latent or active TB for whom an adequate course of treatment cannot be confirmed. Monitor patients for signs and symptoms of active TB during and after SKYRIZI treatment. Do not administer SKYRIZI to patients with active TB.

Administration of Vaccines

Avoid use of live vaccines in patients treated with SKYRIZI. Medications that interact with the immune system may increase the risk of infection following administration of live vaccines. Prior to initiating SKYRIZI, complete all age appropriate vaccinations according to current immunization guidelines.

Adverse Reactions

Most common (≥1%) adverse reactions associated with SKYRIZI include upper respiratory infections, headache, fatigue, injection site reactions, and tinea infections.

In psoriatic arthritis phase 3 trials, the incidence of hepatic events was higher with SKYRIZI compared to placebo.

SKYRIZI is available in a 150 mg/mL prefilled syringe and pen.

SKYRIZI COMPLETE PRESCRIPTION TERMS & CONDITIONS

Eligibility criteria: Available to patients aged 63 or younger with commercial insurance coverage. Patients must have a valid prescription for SKYRIZI for an FDA approved indication and a denial of insurance coverage based on a prior authorization request on file along with a confirmation of appeal. Continued eligibility for the program requires the submission of an appeal of the coverage denial every 180 days. Program provides for SKYRIZI at no charge to patients for up to two years or until they receive insurance coverage approval, whichever occurs earlier, and is not contingent on purchase requirements of any kind. Program is not available to patients whose medications are reimbursed in whole or in part by Medicare, Medicaid, TRICARE, or any other federal or state program. Offer subject to change or discontinuance without notice. This is not health insurance and program does not guarantee insurance coverage. No claims for payment may be submitted to any third party for product dispensed by program. Limitations may apply.

Reference: 1. SKYRIZI [package insert]. North Chicago, IL: AbbVie Inc.



